

McKissick® Overhaul Balls



UB-550E



Top swivel design assures that the ball remains stationary if the wire line spins.


- Available in a variety of configurations:
 - 3.6 & 6.3 metric tonne capacities
 - 50, 80 & 105 kg. weights (ball only)
 - Crosby S-1320 Eye Hook or S-1316 SHUR-LOC® Hooks.
- Utilize genuine forged Crosby hooks, bail and connector.
 - Quenched and Tempered
- Both styles of hooks incorporate patented **QUIC-CHECK®** markings forged into the product which address two **QUIC-CHECK®** features:
 - Deformation Indicators and Angle Indicators.
- Easy disassembly for periodic inspection and maintenance.
- Design factor of 4:1.
- All sizes are **RFID EQUIPPED**.



UB-550S




Top Swivel Overhaul Balls with Crosby Eye Hook



| UB-550E Stock No. | Model No. | Working Load Limit (t)* | Weight Each (kg.) | Dimensions (mm) | | | | | | | | | |
|-------------------|------------|-------------------------|-------------------|-----------------|-----|------|------|------|------|------|------|------|--|
| | | | | A | B | C | D | E | F | G | H | J | |
| 1036621 | MB04BT085E | 3.6 | 51.3 | 226 | 533 | 36.6 | 33.3 | 34.5 | 28.4 | 69.9 | 57.9 | 28.4 | |
| 1036649 | MB04BT150E | 3.6 | 80.7 | 268 | 577 | 36.6 | 33.3 | 34.5 | 28.4 | 69.9 | 57.9 | 28.4 | |
| 1036667 | MB04BT200E | 3.6 | 105 | 295 | 602 | 36.6 | 33.3 | 34.5 | 28.4 | 69.9 | 57.9 | 28.4 | |
| 1036685 | MB07BT085E | 6.3 | 51.3 | 226 | 571 | 46.0 | 42.2 | 40.9 | 28.4 | 69.9 | 57.9 | 28.4 | |
| 1036705 | MB07BT150E | 6.3 | 80.7 | 268 | 615 | 46.0 | 42.2 | 40.9 | 28.4 | 69.9 | 57.9 | 28.4 | |
| 1036723 | MB07BT200E | 6.3 | 105 | 295 | 640 | 46.0 | 42.2 | 40.9 | 28.4 | 69.9 | 57.9 | 28.4 | |

* Ultimate Load is 4 times the Working Load Limit.

Top Swivel Overhaul Balls with SHUR-LOC® Eye Hook



| UB-550S Stock No. | Model No. | Working Load Limit (t)* | Weight Each (kg.) | Dimensions (mm) | | | | | | | | | |
|-------------------|------------|-------------------------|-------------------|-----------------|-----|------|------|------|------|------|------|------|--|
| | | | | A | B | C | D | E | F | G | H | J | |
| 1036630 | MB04BT085E | 3.6 | 51.3 | 226 | 592 | 42.4 | 29.5 | 53.6 | 28.4 | 69.9 | 57.9 | 28.4 | |
| 1036658 | MB04BT150S | 3.6 | 80.7 | 268 | 636 | 42.4 | 29.5 | 53.6 | 28.4 | 69.9 | 57.9 | 28.4 | |
| 1036676 | MB04BT200S | 3.6 | 105 | 295 | 661 | 42.4 | 29.5 | 53.6 | 28.4 | 69.9 | 57.9 | 28.4 | |
| 1036694 | MB07BT085S | 6.3 | 51.3 | 226 | 592 | 42.4 | 29.5 | 53.6 | 28.4 | 69.9 | 57.9 | 28.4 | |
| 1036714 | MB07BT150S | 6.3 | 80.7 | 268 | 636 | 42.4 | 29.5 | 53.6 | 28.4 | 69.9 | 57.9 | 28.4 | |
| 1036732 | MB07BT150S | 6.3 | 105 | 295 | 661 | 42.4 | 29.5 | 53.6 | 28.4 | 69.9 | 57.9 | 28.4 | |

* Ultimate Load is 4 times the Working Load Limit.

McKissick Blocks